



New Bar & Decking Layout

Revision note	Mark	Date	By
General Revision	01	26/11/18	SR
General Revision	02	03/12/18	SR
Notes			
1. All Dimensions to be checked on site Prior to execution of works and Any Discrepancies to be reported.			
2. This drawings shall be read in conjunction with all relevant architectural/MEP drawings and specifications/instructions and any discrepancies shall be reported prior to execution of any works			
3. Concrete grade shall be 30Mpa at 28 days.			
4. Lap length shall be 50 times bar diameter. 60 times bar diameter for swimming pool			
5. Cover to Reinforcement = 50mm to foundations, 30mm to walls and Beams, 40mm for water Retaining Structure. 25mm to slab.			
6. All Foundation shall be laid on firm stiff soil Free of Magnesium Clay with a Soil bearing capacity of min 125Kpa			
Designed by: SR	Drawn by: SR		Scale:1:75
Client			
Long Beach Hotel			
Project			
New Bar & Timber Decking Adjacent Infinity Pool			
Component Type		Level	
Demolition Layout		Ground Floor	
<div>SHAILEN RAMASAMY CONSULTING ENGINEERS LTD Structural &amp; Civil Engineering Services The Hive, Industrial Road, St.Pierre &amp; 48E, Western Boundary, Q-Bornes Tel: 5984-9842 &amp; 460-0000 M.R.P.Eng (Mauritius): Reg No: 1093 VAT No: 27522186</div>			
Date:	Drawing no.		Rev
Oct 2018	84/L.B/I.P/02		02